





LASER RADIATION
AVOID DIRECT EYE EXPOSURE
CLASS 3R LASER PRODUCT
Wavelength: 600-700 nm

LASER
APERTURE

Complies with 21CFR1040 per
Laser Notice 50 (2001)

542-37678

RUGER LASER

38 S&W

L
R









RUGER LASER

542-37678

542-37678

LASER RADIATION
AVOID DIRECT EYE EXPOSURE
CLASS 3R LASER PRODUCT
Wavelength: 600-700 nm

LASER
APERTURE



Complies with 21CFR1040 per
Laser Notice 50 (2001)





READ INSTRUCTION MANUAL
BY RUGER'S COMPANY
NEW BRUNSWICK, NEW JERSEY

LASERMAX





LASER RADIATION
AVOID DIRECT EYE EXPOSURE
CLASS 3R LASER PRODUCT
Wavelength: 630-700 nm
Complies with 21CFR1040 per
Laser Notice 50 (2001)

Laser
Aperture

L
R

542-37678

RUGER LASER

542 CAL 40





RUGER® LCR™





SERIAL NO 542-37678

DATA 06101201M

CALIBER 38 S&W +P

MODEL 05415
SYNERGISTIC HARD COAT BLACK



7 36676 05415 2